Outdoor Smart WIFI Access Point

Model: NCM-OWAP-23B

Features

- 2 GE Base-T ports, RJ45,1 GE optical port SFP, PoE input
- 2 Wireless modules 802.11a/b/g/n/ac, MIMO 3*3
- 6 N-K interface (external antenna)
- Working frequency (2.412～2.4835 GHz, 5.150～5.250 GHz, 5.250～5.350 GHz, 5.470～5.725 GHz, 5.745～5.825 GHz
- Maximum output power 27dBm
- WIFI AP, up to 1166Mbps wireless connectivity
- Up to 200 users' access, 80 of them concurrently @4Mbps, 32 SSIDs



Outdoor Smart WIFI Access Point

Unless otherwise noted, the above specifications reflect typical device performance at stated reference levels in the recommended operating configuration(s). Specifications are subject to change without notice.

NCM-OWAP-23B (1.1Rev2018) © 2000-2018 NCM Supplies – All Rights Reserved

NCM Supplies Inc.
8125 NW 64th ST. Miami, Florida 33166
Phone: 305-640-0461 Fax: 305-639-2684
ncm@ncmsupplies.com | www.ncmsupplies.com

Model: NCM-OWAP-23B

Description

NCM-CWAP-23B Series Outdoor Intelligent WAP (2 gigabit Base-T ports, 1 gigabit optical port, 6 NK antenna interfaces, 802.11 a/b/g/n/ac, dual-frequency triple-path 1750Mbps wireless connectivity, POE power supply, IP67.

Specifications

NCM-OWAP-22D		
Peripheral parameters	Dimensions mm (W×D×H)	282×232×64mm
	Weight	≤3.2 kg
	Power Supply	802.3at POE
	Power consumption	Peak value ≤ 22W
	Working temperature	-40℃ to 70℃
	Working humidity	5%-95% (non-condensing)
	Thunder-proof level	6KV
	Protection level	IP67

Unless otherwise noted, the above specifications reflect typical device performance at stated reference levels in the recommended operating configuration(s). Specifications are subject to change without notice.

NCM-OWAP-23B (1.1Rev2018) © 2000-2018 NCM Supplies – All Rights Reserved

NCM Supplies Inc.
8125 NW 64th ST. Miami, Florida 33166
Phone: 305-640-0461 Fax: 305-639-2684
ncm@ncmsupplies.com | www.ncmsupplies.com

Outdoor Smart WIFI Access Point

Model: NCM-OWAP-23B

Software Specifications

Item	NCM-OWAP-23B	
Working mode	FAT AP	Support
	FiT AP	
Protocols	802.1Q VLAN, 4K	Support
	802.1p priority queue	
	IPv6 Passthrough	
	DHCP snooping	
	IGMP proxy	
	DHCP Server	
	NAT	
	PPPoE	
	SNMP	
	SNTP	
Wireless security	WPA-Personal/Enterprise	Support
	WPA2-Personal/Enterprise	
	WEP 64/128-bit Encryption	
	EAP-SIM/EAP-AKA/EAP-MD5/EAP-TLS/EAP-TTLS/PEAP	
	SSID broadcast disable	
	MAC address filtering	
	802.1x RADIUS client with PAP/CHAP	
WLAN attributes	User isolation	Support
	Fair receiving time	
	Automatic channel choice	
	Automatic power control	
	Wireless terminal identification	
	5G access	
Management mode	Web	
	Telnet	

Unless otherwise noted, the above specifications reflect typical device performance at stated reference levels in the recommended operating configuration(s). Specifications are subject to change without notice.

NCM-OWAP-23B (1.1Rev2018) © 2000-2018 NCM Supplies – All Rights Reserved

NCM Supplies Inc.
8125 NW 64th ST. Miami, Florida 33166
Phone: 305-640-0461 Fax: 305-639-2684
ncm@ncmsupplies.com | www.ncmsupplies.com

Model: NCM-OWAP-23B

	CLI	Support
	AC centralized management	
	SNMP	

Unless otherwise noted, the above specifications reflect typical device performance at stated reference levels in the recommended operating configuration(s). Specifications are subject to change without notice.

NCM-OWAP-23B (1.1Rev2018) © 2000-2018 NCM Supplies – All Rights Reserved

NCM Supplies Inc.
8125 NW 64th ST. Miami, Florida 33166
Phone: 305-640-0461 Fax: 305-639-2684
ncm@ncmsupplies.com | www.ncmsupplies.com